

Reduce - Reuse – Recycle



with products from Ceco Equipment



Ceco Equipment Ltd., Knock Road, Kiltimagh, Co. Mayo, Ireland Tel: +353 94 938 2988 Fax: +353 94 938 2244 Mobile : +353 86 8077701 **Dublin** : (01) 807 4060 **Cork** : (021) 431 2310 www.cecobalers.com info@cecobalers.com www.balestrap.com



Ceco Equipment formed in 1999 manufacture and supply a full range of Recycling & Reduction machinery, which include Balers, Bin Presses, Bag Presses, Bottle Crushers & Bale Strapping.

These machines are currently working in every county in Ireland, the U.K., Spain, France, Italy, Greece, Norway, Africa, Saudi Arabia, Kuwait, U.S.A. & as far away as Australia. All our equipment is made in Ireland & CE Approved.



Ceco supply balers suitable for every application - from the small retailer right through to the mill size producer. As a result our balers can be found in sectors which include retail, hotels, restaurants, manufacturing, distribution, wholesale, schools, hospitals, airports, building sites, government bodies, and waste transfer stations.

Ceco Equipment has earned a reputation for first class customer support and after sales service. As well as equipment sales, over the years we have developed a large trade in the supply of Bale Strapping / Banding. We stock a large selection of strapping suitable for all makes of balers at very competitive prices. We supply strapping nationwide on a next day delivery basis.







Ceco... we ship **WORLDWIDE** from single machines to full container loads.

All our equipment New & Used is available for Worldwide Shipping Tel: +353 94 938 2988 Fax: +353 94 938 2244 Mobile: +353 86 8077701 www.cecobalers.com info@cecobalers.com www.balestrap.com



Ceco MiniPak Baler

The new Patent Pending Ceco MiniPak is a small hand operated baler for baling plastic, cardboard, paper, shredded paper, etc. With a footprint of only 575 x 700mm this machine produces bales of up to 20 Kgs. of cardboard & up to 35 kgs. of silage wrap.

The machine is suitable for Shops, Restaurants, Hotels, Schools, Offices, Farms, Distribution Centres, Etc.

Needing no power source the machine can be used anywhere & is ideal where space is limited or ceiling height is low.



Specifications	
Machine Dimensions	
(W x D x H)	575 x 700 x 1215mm(1820 open)
Bale Size	
(W x D x H)	440 x 360 x 650mm
Bale Weight	Up to 35 Kgs.
No. of Tie Straps	2
Weight	48 Kgs
*Optional Extras	Wheels & Axles



- Bale weight of up to 35 Kgs. *
- Volume reduction of up to 80%
- No power supply required
- Slotted door for easy tying
- У 🛛 Indoor / Outdoor use
- Powder coat paint finish
- Wheels for ease of movement*
- Easy to handle bale
- Reduced Disposal Costs

Cleaner Work Place

Facilitates RecyclingLower Labour Costs

PATENT PENDING

*Bale weight of 35 Kgs achieved on silage wraps. Cardboard, plastic, shredded paper up to 20 kgs.

Ceco Equipment Ltd., Knock Road, Kiltimagh, Co. Mayo, Ireland Tel: +353 94 938 2988 Fax: +353 94 938 2244 Dublin : (01) 807 4060 Cork : (021) 431 2310 www.cecobalers.com info@cecobalers.com Specifications may change without notice. © Ceco Equipment Ltd. 2011

Shredded Paper





Shop Plastic Pallet Wrap







Ceco 40 & 60 Balers

The Ceco 40 & 60 Balers are small compact machines which are ideal for locations where space & height are limited.

The machines will bale small compact bales of cardboard, plastic or paper that are easy to handle. A bale lifting trolley is available as an optional extra.

Suitable for shops, restaurants, bars, offices, etc. the machines are fully CE compliant & supplied complete with warranty.

Built strong they are ideal entry level machines for the small producer.

Ceco 40 Baler

Specifications		
	Ceco 40 Baler	Ceco 60 Baler
Motor	1.5 kW 13 amp	1.5 kW 13 amp
Electrical	220 -240V Single Phase	220 -240V Single Phase
	. -	2.5.7
Max. Compaction	2 Tonnes	3.5 Tonnes
Bale Weight	Up to 40 Kgs.	Up to 60 Kgs.
Bale Size		
(W x D x H)	535 x 460 x 600mm	700 x 500 x 800mm
Machine Dimensions		
(W x D x H)	718 x 630 x 1694mm	1040 x 720 x 1980mm
Total Weight	140 Kgs.	230 Kgs.
Loading Aperture		
(W x D x H)	535 x 460 x 490mm	700 x 500 x 492mm
Rolls of Bale Strap	2	2



Ceco 60 Baler with optional trolley

- Small compact machines
- Volume reduction of up to 90%
- Limit switch safety system
- Indoor / Outdoor use

- Suitable where space is limited
- Slotted bottom door for easy tying
- Powder coat baked paint finish
 - CE compliant
- Reduced Disposal CostsCleaner Work Place
- Facilitates RecyclingLower Labour Costs





GEGO 75 BALER

Ceco 75 Baler

The Ceco 75 is the best selling machine in our range. With a footprint of only 1040 x 720mm this machine produces bales of up to 75 Kgs.

The machine will bale cardboard, plastic or paper & is suitable for Shops, Restaurants, Hotels, Schools, Etc.

Supplied with a trolley for ease of handling bales, the machine is fully CE compliant & is supplied complete with warranty.

Built strong the 75 is the ideal entry level machine for the small to medium size producer.

Specij	fications
Motor	1.5 kW 13 amp
Electrical	220 -240V Single Phase 50Hz
Max. Compaction	Up to 5 Tonnes
Bale Weight	Up to 75 Kgs.
Bale Size (W x D x H)	700 x 500mm x adjustable height
Machine Dimensions (W x D x H)	1040 x 720 x 2300m
Total Weight	300 Kgs.
Chamber Size (W x D x H)	700 x 500 x 1400mm
Rolls of Bale Strap	2

- Bale weight of up to 75 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Twin limit switch safety system
- Indoor / Outdoor use



<u>Optional Extra</u> Insert for crushing cans.

- Supplied with bale trolley
- Pallet truck base for easy movement
- Powder coat baked paint finish
- Slotted bottom door for easy tying
- OE compliant

V

- Reduced Disposal Costs
- Facilitates Recycling

Supplied with

Bale Trolley

- Cleaner Work Place
- Lower Labour Costs



Reduce - Reuse - Recycle

Ceco Equipment Ltd., Knock Road, Kiltimagh, Co. Mayo, Ireland Tel: +353 94 938 2988 Fax: +353 94 938 2244 Dublin : (01) 807 4060 Cork : (021) 431 2310 www.cecobalers.com info@cecobalers.com

Specifications may change without notice. © Ceco Equipment Ltd. 2011



Ceco 150 Baler

The Ceco 150 is a mid sized baler producing bales of up to 150 Kgs. in weight.

The machine will bale cardboard, plastic or paper & is suitable for Shops, Hardware Stores, Furniture Stores, Etc.

Power for this machine is single phase & hydraulic bale eject is standard. The machine is fully CE compliant & is supplied complete with warranty.

Built strong the 150 is the ideal machine for the medium size producer or businesses with larger boxes.



Specifications	
Motor	2.2 kW 16amp
Electrical	220 -240V Single Phase
Max. Compaction	Up to 8 Tonnes
Bale Weight	Up to 150 Kgs.
Bale Size (W x D x H)	975 x 800mm x adjustable height
Machine Dimensions (W x D x H)	1560 x 1030 x 2600mm
Transport Height Ram Lowered	1955mm
Weight	780 Kgs.
Loading Aperture (W x D x H)	975 x 800 x 470mm
Rolls of Bale Strap	3
Bale Ejection	Hydraulic Tipping

- Bale weight of up to 150 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Single phase 220 240v
- Indoor / Outdoor use



- Hydraulic bale eject
 - Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted bottom door for easy tying
- CE compliant
 - Reduced Disposal Costs
 - Cleaner Work Place
 Cleaner Labour Costs

Reduce - Reuse - Recycle





- Bale weight of up to 250 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Single phase 220 240v
- 🕑 🛛 Indoor / Outdoor use



Ceco 250 Baler

The Ceco 250 is a twin ram mid sized baler producing bales of up to 250 Kgs. in weight.

The machine will bale cardboard, plastic or paper & is suitable for Large Shops, Supermarkets, Hardware Stores, Furniture Stores, Factories, Etc.

Power for this machine is single phase & hydraulic bale eject is standard. The machine is fully CE compliant & is supplied complete with warranty.

Built strong the 250 is the ideal machine for the medium to large producer or businesses with larger boxes.

SpecificationsMotor2.2 kW 16ampElectrical220 - 240V Single PhaseMax. CompactionUp to 15 TonnesBale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture (W x D x H)1200 x 800 x 680mmRolls of Bale Strap4		
Electrical220 - 240V Single PhaseMax. CompactionUp to 15 TonnesBale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture 1200 x 800 x 680mm	Specifications	
Electrical220 - 240V Single PhaseMax. CompactionUp to 15 TonnesBale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture 		
Max. CompactionUp to 15 TonnesBale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture 	Motor	2.2 kW 16amp
Max. CompactionUp to 15 TonnesBale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture 		
Max. CompactionUp to 15 TonnesBale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture 	Electrical	220 - 240V Single Phase
Bale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture 		
Bale WeightUp to 250 Kgs.Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture (W x D x H)1200 x 800 x 680mm	Max Compaction	Up to 15 Toppos
Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture (W x D x H)1200 x 800 x 680mm	Iviax. Compaction	op to 15 formes
Bale Size (W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture (W x D x H)1200 x 800 x 680mm		
(W x D x H)1200 x 800mm x adjustable heightMachine Dimensions (W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture (W x D x H)1200 x 800 x 680mm		Up to 250 Kgs.
Machine Dimensions 1759 x 1185 x 2990mm Transport Height 2250mm Ram Lowered 2250mm Weight 985 Kgs. Loading Aperture 1200 x 800 x 680mm	Bale Size	
(W x D x H)1759 x 1185 x 2990mmTransport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture (W x D x H)1200 x 800 x 680mm	(W x D x H)	1200 x 800mm x adjustable height
Transport Height Ram Lowered2250mmWeight985 Kgs.Loading Aperture (W x D x H)1200 x 800 x 680mm	Machine Dimensions	
Ram Lowered2250mmWeight985 Kgs.Loading Aperture1200 x 800 x 680mm	(W x D x H)	1759 x 1185 x 2990mm
Ram Lowered2250mmWeight985 Kgs.Loading Aperture1200 x 800 x 680mm	Transport Height	
Weight985 Kgs.Loading Aperture1200 x 800 x 680mm		2250mm
Loading Aperture (W x D x H) 1200 x 800 x 680mm		
Loading Aperture (W x D x H) 1200 x 800 x 680mm	Weight	985 Kas
(W x D x H) 1200 x 800 x 680mm		505 Kg3.
		1200
Rolls of Bale Strap 4	(W X D X H)	1200 X 800 X 680mm
Rolls of Bale Strap 4		
	Rolls of Bale Strap	4
Bale Ejection Hydraulic Tipping	Bale Ejection	Hydraulic Tipping

- Hydraulic bale eject
- Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted bottom door for easy tying
- 🥑 🛛 CE compliant
 - Reduced Disposal Costs
 - Cleaner Work Place
 Cleaner Work Place
 Lower Labour Costs

Reduce - Reuse - Recycle



Ceco 450 Baler

The Ceco 450 is a large twin ram baler producing mill size bales of up to 450 Kgs. in weight.

The machine will bale cardboard, plastic or paper & is suitable for Large Shops, Supermarkets, Hardware Stores, Furniture Stores, Shopping Centres, Recycling Facilities, Factories, Etc.

Power for this machine is three phase & hydraulic bale eject is standard. The machine is fully CE compliant & is supplied complete with warranty.

Built strong the 450 is the ideal machine for the large producer with big volumes of material to bale.

Specifications	
Motor	11 kW 32amp
Electrical	380 - 400V Three Phase
Max. Compaction	Up to 25 Tonnes
Bale Weight	Up to 450 Kgs.
Bale Size (W x D x H)	1200 x 800mm x adjustable height
Machine Dimensions (W x D x H)	1781 x 1196 x 3000mm
Transport Height Ram Lowered	2300mm
Weight	1300 Kgs.
Loading Aperture (W x D x H)	1200 x 800 x 680mm
Rolls of Bale Strap	4
Bale Ejection	Hydraulic Tipping

- Bale weight of up to 450 Kgs. V Volume reduction of up to 90% Ø Large feed opening Ø Three phase 380 - 400v V Indoor / Outdoor use Facilitates Recycling
- Cleaner Work Place

- Hydraulic bale eject Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted bottom door for easy tying
- **CE** compliant
- Reduced Disposal Costs
- Lower Labour Costs

Optional Extra 450 Long Ram Baler Rams extend to bottom of chamber producing a more compact bale with products such as PET bottles, textiles, etc.



Reduce - Reuse - Recycle





Ceco 550 Baler

The Ceco 550 is a large twin ram mill size baler producing bales of up to 550 Kgs. in weight.

With a large feed opening of 1500mm wide it is suitable for Large Shops, Supermarkets, Hardware Stores, Furniture Stores, Shopping Centres, Factories, Recycling Facilities, Etc. Power for this machine is three phase & hydraulic bale eject is standard. The machine is fully CE compliant & is supplied complete with warranty.

Built strong the 550 is the ideal machine for the very large producer with big volumes of material to bale.

Specifications	
Motor	11 kW 32amp
Electrical	380 - 400V Three Phase
Max. Compaction	Up to 50 Tonnes
Bale Weight	Up to 550 Kgs.
Bale Size (W x D x H)	1500 x 769mm x adjustable height
Machine Dimensions (W x D x H)	2115 x 1200 x 3217mm
Transport Height Ram Lowered	2500mm
Weight	1650 Kgs.
Loading Aperture (W x D x H)	1500 x 769 x 880mm
Tying	5 wire or strapping
Bale Ejection	Hydraulic Tipping

- Bale weight of up to 550 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Three phase 380 400v
- Indoor / Outdoor use

- Hydraulic bale eject
- Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted bottom door for easy tying
 - CE compliant
 - Reduced Disposal Costs
- Facilitates Recycling
- Cleaner Work Place
- Lower Labour Costs







Ceco 550HD Baler

The Ceco 550HD is a heavy duty version of our 550 baler with extended cylinders to produce a more compact bale. This machine will bale a variety of products which include cardboard, plastic, PET bottles, textiles, car bumpers, tyres & heavy duty materials.

Extra retaining claws are fitted throughout the chamber to prevent spring back of material The machine is fully CE compliant & is supplied complete with warranty.

Built extra strong the 550HD is the ideal machine for Recyclers, Tyre Depots, Scrap Yards, Etc.

Specifications	
Motor	11 kW 32amp
Electrical	380 - 400V Three Phase
Max. Compaction	Up to 50 Tonnes
Bale Weight	Up to 610 Kgs.
Bale Size (W x D x H)	1500 x 769mm x adjustable height
Machine Dimensions (W x D x H)	2115 x 1200 x 3500mm
Transport Height Ram Lowered	2500mm
Weight	1935 Kgs.
Loading Aperture (W x D x H)	1500 x 769 x 880mm
Tying	5 wire or strapping
Bale Ejection	Hydraulic Tipping

- Bale weight of up to 610 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Suitable for tyres, bumpers, etc.
- Indoor / Outdoor use
 - Reduced Disposal Costs
 - Cleaner Work Place

- Hydraulic bale eject
 - Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted bottom door for easy tying
- OE compliant
- Facilitates Recycling
- Lower Labour Costs







Ceco 650 Baler

The Ceco 650 is the largest baler in our range producing bales of up to 650 Kgs. in weight.

With a large feed opening of 1500mm wide by 1100mm deep it is suitable for Large Shops, Supermarkets, Hardware Stores, Furniture Stores, Shopping Centres, Factories, **Recycling Facilities, Etc.**

Power for this machine is Three Phase & hydraulic bale eject is standard. The machine is fully CE compliant & is supplied complete with warranty.

Built strong the 650 is the ideal machine for the very large producer with big volumes of material to bale.

The second s	Specij
	Motor
	Electrical
e.	Max. Compaction
	Bale Weight
	Bale Size
	(W x D x H)
	Machine Dimensions
and the second se	(W x D x H)
	Transport Height
	Ram Lowered
	Weight
	Loading Aperture
	(W x D x H)
	Tying
	Bale Ejection

Specifications	
Motor	11 kW 32amp
Electrical	380 - 400V Three Phase
Max. Compaction	Up to 50 Tonnes
Bale Weight	Up to 650 Kgs.
Bale Size (W x D x H)	1500 x 1100mm x adjustable height
Machine Dimensions (W x D x H)	2115 x 1524 x 3217mm
Transport Height Ram Lowered	2500mm
Weight	1930 Kgs.
Loading Aperture (W x D x H)	1500 x 1100 x 883mm
Tying	5 wire or strapping
Bale Ejection	Hydraulic Tipping

- Bale weight of up to 650 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- ☑ Three phase 380 – 400v
- Indoor / Outdoor use
 - Reduced Disposal Costs
 Facilitates Recycling
 - Cleaner Work Place

- Ø Hydraulic bale eject
 - Grabbers to prevent spring back
 - Powder coat baked paint finish
- Slotted bottom door for easy tying
- Ø **CE** compliant
- Lower Labour Costs







Ceco 70T Horizontal Baler

The Ceco 70T Horizontal is the largest baler in our range. This twin ram machine is a real heavy duty work horse with a 70 tonne compaction force capable of producing bales up to 600 Kgs. With 3 different power settings, 50, 60 or 70 tonnes the machine is suitable for Very Large Producers, Recycling Facilities, Factories, Council Yards, Distribution Centres, Etc.



Specifications	
Motor	22 kW 63amp
	380 - 400V
Electrical	Three Phase 50Hz
Max. Compaction	Up to 70 Tonnes
Bale Weight	Up to 600 Kgs.
Bale Size	750(H) x 1100(D)
(W x D x H) mm	X 1200 – 1500(L)
Machine Dimensions	6907 x 1782 x 2008
(W x D x H) mm	Height includes hopper
Weight	7700 Kgs.
Loading Aperture	
(W x D x H) mm	1200 x 1009
	5
Tying	wire
	Hydraulic
Bale Ejection	Full Eject


- Bale weight of up to 600 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Full stroke compaction
- Sull bale eject
- Magic eye start up

Optional Extras

Feed Conveyor.

Hydraulic Tipping Bin Lifter complete with safety cage.

- PLC controls offers safe & easy operation
- Automatic variable length setting
- Removable top & bottom shear blades
- Automatic shear jam protection
- Hydraulic door latch with safety interlock
- Left or right door swing & hopper orientation
 - Reduced Disposal Costs
- Facilitates Recycling
- Cleaner Work Place







Ceco 75DC Baler

The Ceco 75DC is a double chamber baler suitable for applications where two products need to be segregated & baled.

The machine will bale cardboard, plastic , paper, etc., & is suitable for Shops, Restaurants, Hotels, Schools.

Supplied with a trolley for ease of handling bales, the machine is fully CE compliant & is supplied complete with warranty.

Built strong the 75DC is the ideal entry level machine for the small to medium size producer.



Specifications	
Motor	1.5 kW 13 amp
Electrical	220 -240V Single Phase
Max. Compaction	Up to 5 Tonnes
Bale Weight	Up to 75 Kgs.
Bale Size	
(W x D x H)	700 x 500mm x adjustable height
Machine Dimensions	
(W x D x H)	2050 x 872 x 1969mm
Total Weight	562 Kgs.
Chamber Size	
(W x D)	700 x 500mm
Rolls of Bale Strap	4

- Bale weight of up to 75 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Limit switch safety system
- Indoor / Outdoor use



- Supplied with bale trolley
 - Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted door for easy tying
- 🥑 🛛 CE compliant

Reduced Disposal Costs
 Facilitates Recycling
 Cleaner Work Place
 Lower Labour Costs





Ceco 200DC Baler

The Ceco 200DC is a large double chamber baler suitable for applications where two products need to be segregated & baled.

The machine will bale cardboard, plastic or paper & is suitable for Shops, Hardware Stores, Factories, Etc.

Producing bales up to 200 Kgs. in weight the machine is fully CE compliant & supplied complete with warranty.

Built strong the 200DC is the ideal machine for the medium to large size producer.



Constituent in a			
Specifications			
Motor	2.2 kW 16amp		
Electrical	220 -240V Single Phase		
Max. Compaction	Up to 16 Tonnes		
Bale Weight	Up to 200 Kgs.		
Bale Size (W x D x H)	1074 x 800mm x adjustable height		
Machine Dimensions (W x D x H)	3032 x 1269 x 2469mm		
Total Weight	1400 Kgs.		
Chamber Size (W x D)	1074 x 800mm		
Rolls of Bale Strap	6		
Bale Ejection	Hydraulic Tipping		

- Bale weight of up to 200 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Limit switch safety system
- 🎐 🛛 Indoor / Outdoor use



- Single phase 220 240v
 - Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted door for easy tying
- Description

Reduced Disposal Costs
 Facilitates Recycling
 Cleaner Work Place
 Lower Labour Costs

Ceco Equipment Ltd., Knock Road, Kiltimagh, Co. Mayo, Ireland Tel: +353 94 938 2988 Fax: +353 94 938 2244 Dublin : (01) 807 4060 Cork : (021) 431 2310 www.cecobalers.com info@cecobalers.com

Specifications may change without notice. © Ceco Equipment Ltd. 2011



Ceco PET Bottle Baler

The Ceco PET Bottle baler is a double chamber baler suitable for baling PET plastic bottles.

The unique piercing mechanism built into the compaction plate eliminates the need for removal of bottle caps. A 30 litre collection tank collects any residual liquid left in bottles. Supplied with a trolley for ease of handling bales, the machine is fully CE compliant & is supplied complete with warranty.

Built strong the this machine is ideal where medium to large amounts of plastic bottles need to be processed.





Specifications		
Motor	2.2 kW 16amp	
Electrical	220 -240V Single Phase	
Max. Compaction	Up to 8 Tonnes	
Bale Weight	Up to 40 Kgs.	
Bale Size (W x D x H)	700 x 500mm x adjustable height	
Machine Dimensions (W x D x H)	2050 x 861 x 2336mm	
Total Weight	562 Kgs.	
Chamber Size (W x D)	700 x 500mm	
Rolls of Bale Strap	4	

- Bale weight of up to 40 Kgs.
- Volume reduction of up to 90%
- Large feed opening
- Limit switch safety system
- 🅗 🛛 Indoor / Outdoor use

- Supplied with bale trolley
- Grabbers to prevent spring back
- Powder coat baked paint finish
- Slotted door for easy tying
- CE compliant
 - Reduced Disposal Costs
 - Cleaner Work Place
- Lower Labour Costs



Ceco Equipment Ltd., Knock Road, Kiltimagh, Co. Mayo, Ireland Tel: +353 94 938 2988 Fax: +353 94 938 2244 Dublin : (01) 807 4060 Cork : (021) 431 2310 www.cecobalers.com info@cecobalers.com

Specifications may change without notice. © Ceco Equipment Ltd. 2011



Ceco BinPress

The Ceco BinPress is ideal for volume reduction of mixed waste into wheelie bins. Up to 4 : 1 reduction can be achieved by using this machine thus reducing the number of bins required & space needed for storage of bins.

The machine is suitable for Hotels, Restaurants, Deli Counters, Schools, Shops, Etc.

A base lifting plate ensures bin wheels are not damaged during compaction whilst two handed controls ensure operator safety.



Specifications			
Specifications			
Motor	1.5 kW		
Electrical	220 -240V Single Phase		
Compaction	Up to 3.5 Tonnes		
Max. Compaction Ratio	4:1		
Bin Size	660 & 1100 Ltrs.		
Machine Dimensions			
(W x D x H)	1160 x 1150 x 2120mm		
Total Weight	270 Kgs.		
Cycle Time	20 Secs.		
Safety	2 Handed Controls		

- Up to 4 : 1 reduction Adjustable bin guides Single phase 220 – 240v Base lifting plate prevents bin damage
- 1 660 & 1100 litre wheelie bins
 - Two handed operation for safety
 - Powder coat baked paint finish
- \bigcirc **CE** compliant
- Reduced Disposal Costs Facilitates Recycling
- Cleaner Work Place

- Lower Labour Costs













High compaction force ratio 10 : 1

- Suitable for wet & dry waste
- Wheel mounted for easy movement
- Split chamber for easy bag removal
- Indoor / Outdoor use

Facilitates Recycling

Lower Labour Costs

- Top Loading
- Ideal for shredded paper
- Powder coat baked paint finish
- Low operating height
- CE compliant

- Reduced Disposal Costs
- Cleaner Work Place



Ceco Equipment Ltd., Knock Road, Kiltimagh, Co. Mayo, Ireland Tel: +353 94 938 2988 Fax: +353 94 938 2244 Dublin : (01) 807 4060 Cork : (021) 431 2310 www.cecobalers.com info@cecobalers.com Specifications may change without notice. © Ceco Equipment Ltd. 2011

Ceco BagPress

The Ceco BagPress is suitable for compacting wet or dry waste into plastic bags.

The machine is suitable for Shops, Restaurants, Hotels, Schools, Deli Counters, Canteens, Etc.

With a high compaction rate of up to 10 : 1 this machine can seriously reduce the volume of waste going into bins. The machine is fully CE compliant & is supplied complete with warranty.

Built strong the BagPress is the ideal machine for the producer with bulky waste material.

Specifications			
Motor	1.5 kW 13 amp		
Electrical	220 -240V Single Phase		
Max. Compaction	Up to 3 Tonnes		
Machine Dimensions (W x D x H)	1200 x 630 x 1861mm		
Total Weight	325 Kgs.		
Bag Size (W x H)	520 x 1000mm		



Ceco 90L Bag Press



Suitable for both wet & dry kitchen waste.

Powder coat baked paint finish.

CE compliant.

Automatic compaction cycle, easy operation.

Box full light shows when to empty compactor.

Optional compaction boxes to suit 45 & 70L bags.

Wheel mounted for quick & easy movement.

Ø

V

Ø

Specifications		
Motor	0.8 kW 13 amp	
Electrical	220 -240V Single Phase 50Hz	
Max. Compaction	Up to 0.8 Tonnes	
Machine Dimensions (W x D x H)	609 x 609 x 1677mm	
Total Weight	255 Kgs.	
Waste Bags	45 or 70 L	
Noise Level	65 Decibels	

- Slide Out Base For Easy Removal of Bag
- Reduced Disposal Costs
 Facilitates Recycling
- Cleaner Work Place
- Lower Labour Costs







Ceco Drum Crusher

The Ceco Drum Crusher is a heavy duty machine suitable for crushing steel drums up to 200 ltrs. With a footprint of only 1000 x 1190mm this machine is suitable for Factories, Oil Depots, Recycling Facilities, Etc.

With a 30 litre collection tray to catch any run off liquid the machine is fully CE compliant & is supplied complete with warranty.

Built strong the Drum Crusher is the ideal machine for volume reduction of steel drums.

Specifications		
Motor	11 kW 32 amp	
Electrical	380 - 400V Three Phase	
Max. Compaction	Up to 24 Tonnes	
Compaction Ratio	6:1	
Machine Dimensions (W x D x H)	1190 x 1000 x 2587mm	
Transport Height	1800mm	
Weight	690 Kgs.	
Chamber Size (W x D x H)	802 x 816 x 1210mm	
Collection Tank	30 litres	

- High compaction force ratioLarge feed opening
- Limit switch safety system
- Indoor / Outdoor use

- Totally enclosed chamber for safety
 - Powder coat baked paint finish
 - 30 ltr. Liquid collection tank
- CE compliant
- Reduced Disposal Costs
- Facilitates Recycling
- Cleaner Work Place
- Lower Labour Costs



Reduce - Reuse - Recycle





Ceco Bottle Crusher

The Bottle Crusher supplied by Ceco gives up to 80% volume reduction of glass bottles.

It is ideally suited to Bars, Nightclubs, Hotels, Restaurants, Canteens, Sea Going Vessels, Etc.

With a footprint of only 816 x 1025mm this machine can save premises a lot of space compared to storing whole bottles & also reduce the number of collections.

Specifications		
Motor	1.8 kw	
Electrical	220 -240V Single Phase	
Volume Reduction	Up to 80%	
Cycle Time	20 Seconds	
Crushed Glass Bin	140 or 220 litre *	
Machine Weight	260 Kgs.	
Machine Dimensions (W x D x H)	1025 x 816 x 1813mm	
Height with feed door open	2187mm	
Feed Height	1410mm	
Overall depth with bin door open.	1470mm	

- Volume reduction of up to 80% Large feed opening & hopper Suitable for 140 or 220L wheelie bins*
 - Reduced Disposal Costs Facilitates Recycling
 - Cleaner Work Place
 - Lower Labour Costs

Reduce - Reuse - Recycle

 \bigcirc



*Bins not supplied with machine

Ceco Equipment Ltd., Knock Road, Kiltimagh, Co. Mayo, Ireland Tel: +353 94 938 2988 Fax: +353 94 938 2244 **Dublin** : (01) 807 4060 **Cork** : (021) 431 2310 info@cecobalers.com www.cecobalers.com Specifications may change without notice. © Ceco Equipment Ltd. 2011

Single Phase 220 – 240v

Auto feed door release

CE compliant



Ceco... Suppliers & Manufacturers of Compaction And Recycling Equipment



Ceco... we ship **WORLDWIDE** from single machines to full container loads.



10 MiniPak's flat packed & loaded in crate.



MiniPak's in heat treated crate for customer in U.S.



Two 75's bolted back to back for customer in Australia.



Single 75 in heat treated crate for customer in Africa.



Part of a shipment of 75's ready for dispatch to China.



We ship any amount from 1 machine to a full container load anywhere in the world.



Ceco... Suppliers & Manufacturers of Compaction And Recycling Equipment





High Quality Polyester Bale Strap



Purchase 1, 2, 3 or more boxes



Contact us for pallet discounts



Ceco Bale Strap

Ceco Equipment has earned a reputation for first class customer support and after sales service. As well as equipment sales, over the years we have developed a large trade in the supply of Bale Strapping / Banding. We stock a large selection of strap suitable for all makes of balers at very competitive prices.

Strap can be supplied in quantities from one box, to a full pallet, to a full container.

We supply strap nationwide on a next day delivery basis.

Bale Strap			
Strap Size	Meters / Roll	Rolls / Box	
9mm	250	8	
9mm	500	4	
13mm	250	8	
13mm	500	4	
16mm	425	4	
19mm	400	2	

For orders in Ireland contact us at one of the following numbers:

Mayo : (094) 938 2988

Cork : (021) 431 2310

Dublin : (01) 807 4060

Mobile : (086) 807 7511

For international orders contact number below.


All our Bale Strap is available for Worldwide Shipping

Tel: +353 94 938 2988 www.cecobalers.com Fax: +353 94 938 2244 info@cecobalers.com

Mobile: +353 86 8077701 www.balestrap.com

Bale Strap	Baler Strap	Bale Strapping	Baler Strapping	Bale Cord	Baler Cord
Bale Twine	Baler Twine	Bale Wire	Baler Wire	Composite Strap	Composite Strapping
Glued Strap	Glued Strapping	Woven Strap	Woven Strapping	Polyester Strap	Polyester Cord

Ceco Your No. 1 Choice for Compaction & Recycling Equipment www.cecobalers.com



Specifications and information in this brochure may change without notice. Bale weights given are approximate & may vary depending on material. The manufacturer / dealer accept no responsibility for this brochure, or the usage of the brochure for special purposes. The manufacturer / dealer cannot be held liable for errors in this manual or for the direct or indirect loss as a consequence of this issue, presentation, or use of this material. The content of this brochure shall not be photocopied, reproduced or translated, as a whole or part, without prior permission. The manufacturer / dealer accept no responsibility for any claims of compensation arising from injury to a third party as a consequence of unintentional disregard of the safety stipulations stated in this brochure. Machine warranty is as outlined on the dealer invoice. Machine colour may vary from that shown in this catalogue.

© Copyright Ceco Equipment Ltd. 2011